




DIM.	TOL
5mm DOWN	±0.2
5~20mm	±0.3
20~40mm	±0.4
40~60mm	±0.5
60~100mm	±0.8
100mm UP	±1.0

REVISIONS			
ZONE	REV	DESCRIPTION	DATE



PART NO.	COLOR
MCC-3	BLACK
MCC-3(N)	NATURAL
MCC-3(W)	WHITE



Component - Plastic

E41936

E I DUPONT DE NEMOURS & CO INC
 ENGINEERING POLYMERS, CHESTNUT RUN PLAZA, PO BOX 80713, WILMINGTON DE 19880
 101(r9)(f1), 101F(r9)(f1), 101L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)
 Polyamide 66 (PA66), "Zytel", furnished as pellets

Color	Min Thk (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str
ALL	0.71	V-2	4	0	130	75	85
	1.5	V-2	3	0	130	75	85
	3.0	V-2	2	0	130	75	85
	6.0	V-2	2	0	130	75	85

Comparative Tracking Index (CTI): 0
 Dielectric Strength (kV/mm): 73
 High-Voltage Arc Tracking Rate (HVTR): 0
 Dimensional Stability (%): -
 (f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746C.

NOTE - (1) Material designations that are color pigmented may be followed by suffix letters and numbers. (2) Material designations may be prefixed by "ZYT" for Zytel or "MILN" for Minton or "DEL" for Delrin or "CRA" for Craatin or "RYN" for Rynite or "ETPV" for ETPV grades.
 r9 - Virgins and regrind up to 50% by weight inclusive, have the same basic material characteristics for ALL colors down to 0.7mm. For thicknesses 0.48mm to 0.70mm the same basic material characteristics exist with the exception of generic RTI for all properties and Regrind exceeding 25% is limited to V-2 Flammability for VFI, RD, BK.
 ANSALM 64 small-scale test data uses cut parts to building materials, furnishings and related contexts. ANSALM 64 small-scale test data is intended solely for determining the acceptability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1996-07-29
 Last Revised: 2010-07-27

© 2011 Underwriters Laboratories Inc.



康揚企業股份有限公司
 KANG YANG HARDWARE ENTERPRISE CO., LTD.
康揚塑膠(東莞)有限公司
 KANG YANG PLASTIC(DONG GUAN) CO., LTD.
康哲電腦配件(吳江)有限公司
 KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.

TITLE		SPEC. DWG.	
FAN SNAP RIVET		DATE	
MATERIAL		2000.07.24	
NYLON 66 UL94V-2		DRAWN	
FINISH		江家誠	
COLOR		CHECK	
SEE ABOVE		APPROVED	
UNLESS OTHERWISE SPECIFIED TOLERANCE		SEE ABOVE	
SEE ABOVE		Kang	

PART NUMBER		DRAWING NUMBER	
SEE ABOVE		MCC-3H	
SIZE	SCALE	UNIT	REV
A4	5:1	mm	A