


DIM.	TOL
5mm DOWN	±0.2
5~20mm	±0.3
20~40mm	±0.4
40~60mm	±0.5
60~100mm	±0.8
100mm UP	±1.0

REVISIONS			
REV	DESCRIPTION	DATE	BY



Component - Plastics

E41936

E I DUPONT DE NEMOURS & CO INC
 ENGINEERING POLYMERS, CHESTNUT RUN PLAZA, PO BOX 30713, WILMINGTON DE 19880
 101(r9)(f1), 101F(r9)(f1), 101L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)
 Polyamide 66 (PA66), "Zytel", furnished as pellets

Color	Mfr Thk (mm)	Flame Class	HVM	HAI	RTI Elec	RTI Imp	RYI Str
ALL	0.71	V-2	4	0	130	75	55
	1.5	V-2	3	0	130	75	55
	3.0	V-2	2	0	130	75	55
	6.0	V-2	2	0	130	75	55

Comparative Tracking Index (CTI): 0
 Dielectric Strength (KV/mm): 13
 High Voltage Arc Tracking Rate (HVR/TR): 0
 Dimensional Stability (%): -
 Inched Plane Tracking (IPT): -
 Volume Resistivity (10¹⁵ Ohm-cm): 14
 High Volt, Low Current Arc Resis (D495): 6

(f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 748C.

NOTE - (1) Material Designations that are color pigmented may be followed by suffix letters and numbers. (2) Material designations may be prefixed by "ZYT" for Zytel or "MIN" for Minlon or "DEL" for Delrin or "GRA" for Crastin or "RYN" for Rynite or "ETPV" for ETPV grades.

r9 - Virgin and regrid up to 50% by weight inclusive, have the same basic material characteristics for ALL colors down to 0.71mm. For thickness 0.40mm to 0.70mm the same basic material characteristics exist with the exception of generic RTI for all properties and Regrid exceeding 20% is limited to V-2 Flammability for WT, RD, BK.

ANSI/UL 94 flame-test data does not pertain to building materials, furnishings and related products. ANSI/UL 94 semi-rigid test data is intended solely for determining the flammability of plastic materials used in the construction and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1996-07-28
 Last Revised: 2010-07-27

© 2011 DuPont Performance Laboratories Inc.



康揚企業股份有限公司
 KANG YANG HARDWARE ENTERPRISE CO., LTD.
 康揚塑膠(東莞)有限公司
 KANG YANG PLASTIC(DONG GUAN) CO., LTD.
 康哲電腦配件(吳江)有限公司
 KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.

TITLE	CONNECTOR COVER	SPEC. DWG.
MATERIAL	NYLON 66 UL94V-2	DATE 2008.09.01
FINISH		DRAWN Tony
COLOR	BLACK	CHECK
PART NUMBER PCIE-2	DRAWING NUMBER PCIE-2	UNLESS OTHERWISE SPECIFIED TOLERANCE SEE ABOVE
SIZE A4	SCALE 1:1	UNIT mm
REV A		APPROVED