


DIM.	TOL
5mm DOWN	±0.2
5~20mm	±0.3
20~40mm	±0.4
40~60mm	±0.5
60~100mm	±0.8
100mm UP	±1.0

REVISIONS			
REV	DESCRIPTION	DATE	BY



PART NO.	A	B	C	D	E	MOUNTING HOLE
SR3-5(BU)	5.0	3.0	6.3	1.7	2.5~3.5	3.0~3.1

Component - Plastics

544958

E I DUPONT DE NEMOURS & CO INC  
 ENGINEERING POLYMERS, CHESTNUT RUN PLAZA, PO BOX 80713, WILMINGTON DE 19880  
 101(r9)(f1), 101F(r9)(f1), 101L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)  
 Polyamide 66 (PA66), "Zytel", furnished as pellets

Color	Min Thk (mm)	Flame Class	HV1	HV2	RTI Elec	RTI Imp	RTI Str
ALL	0.71	V-2	4	0	130	75	88
	1.5	V-2	3	0	130	75	88
	3.0	V-2	2	0	130	75	88
	6.0	V-2	2	0	130	75	88

Comparative Tracking Index (CTI): 0  
 Dielectric Strength (KV/mm): 13  
 High-Voltage Arc Tracking Rate (HVTR): 0  
 Dimensional Stability (%): -  
 (f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746C.  
 NOTES - (1) Material designations that are color designated may be followed by suffix letters and numbers. (2) Material designations may be prefixed by "ZYT" for Zytel or "MHN" for Minlon or "DEL" for Delrin or "ORA" for Ceracon or "RYN" for Rynite or "ETPV" for ETPV grades.  
 (3) Virgin used ranging up to 30% by weight inclusive, have the same basic material characteristics for ALL colors down to 0.71mm. For thickness 0.40mm to 0.76mm the same basic material characteristics exist with the exception of generic RTI for all properties and Report exceeding 20% is limited to V-2 Flammability for VFI, RB, BK.  
 ANSUL 34 small-scale test data does not pertain to building materials, furnishings and related contents. ANSUL 34 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and equipment, where the acceptability of the combination is determined by UL.

Report Date: 1998-07-29  
 Last Revised: 2010-07-27

© 2011 Underwriters Laboratories Inc.



 康揚企業股份有限公司 KANG YANG HARDWARE ENTERPRISE CO., LTD. 康揚塑膠(東莞)有限公司 KANG YANG PLASTIC(DONG GUAN) CO., LTD. 康哲電腦配件(吳江)有限公司 KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.	TITLE		SNAP RIVET		SPEC. DWG.		
	MATERIAL		NYLON 66 UL94V-2		DATE		2013.03.29
	FINISH		BLUE		DRAWN		C. S. L.
	COLOR		BLUE		CHECK		
PART NUMBER		DRAWING NUMBER		UNLESS OTHERWISE SPECIFIED TOLERANCE		APPROVED	
SEE ABOVE		SR3-5(BU)		SEE ABOVE			
SIZE	SCALE	UNIT	REV				
A4	NONE	mm	B				